Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.1. Product identifier	
Product form Product name Product code	: Mixture : Helping Hand Sanitizer :
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
1.2.1. Relevant identified uses No additional information available	
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety d	lata sheet
Sweetspot Sourcing Ltd W108 Ladytown Business Park, Newhall, Naas W91 WK61 - Ireland T +353 (045) 409 550 Fiona@sweetspot.ie - www.sweetspot.ie	
1.4. Emergency telephone number	
Emergency number	: +353 (045) 409 550 Office Hours: Monday to Thursday 9.00am- 5.30pm, Friday 9.00am- 4.30pm
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	ixture
Classification according to Regulation (EC) No Flammable liquids, Category 2 Serious eye damage/eye irritation, Category 2 Full text of H statements : see section 16	b. 1272/2008 [CLP] H225 H319
Adverse physicochemical, human health and e	
Highly flammable liquid and vapour. Causes serio	us eye irritation.

Hazard pictograms (CLP)

Signal word (CLP) Hazard statements (CLP) GHS02 GHS07 : Danger

: H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking. P240 - Ground and bond container and receiving equipment. P280 - Wear protective clothing, eye protection, face protection, protective gloves. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P323+P342 - If our irritation participation.
	P337+P313 - If eye irritation persists: Get medical advice, medical attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	≥ 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Hydrogen Peroxide	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0	0-5%	OX. Liq. 1 H271 Skin Corr. 1A H314

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	3
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison centre or a doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after eye contact	: Eye irritation.
4.3. Indication of any immediate med	lical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. : Strong water jet.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Hazardous decomposition products in case of fire	: Highly flammable liquid and vapour. : Toxic fumes may be released.		
5.3. Advice for firefighters			
Precautionary measures fire	: Cool closed containers exposed to fire with water spray. Move containers from fire area if it can be done without personal risk.		
Firefighting instructions 03/042020 (Version:	: Contain the extinguishing fluids by bunding. EN (English) 2/10		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipr	nent and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment a	nd cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent material. Transfer the product into a spare container: - suitably labelled.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Technical measures Storage conditions	: Ground/bond container and receiving equipment. : Store in a well-ventilated place. Keep cool. Keep container tightly closed.
7.3 Specific and use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemically resistant protective gloves. Consult glove manufacturer's product information on material suitability and material thickness.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:	
Chemical goggles or face shield	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

	nemical properties
Physical state Appearance Colour Odour Ddour threshold oH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility	 Liquid Clear. Colourless. No data available No data available 7 - 8.5 No data available Not applicable No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
viscosity, dynamic	: No data available
Explosive properties	: No data available
Dxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	mation
11.1. Information on toxicological eff	fects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 dermal rat	15800 mg/kg
LC50 inhalation rat (mg/l)	20 mg/l
Skin corrosion/irritation	: Not classified
	pH: 7 – 8.5
Serious eye damage/irritation	: Causes serious eye irritation.
, ,	pH: 7 – 8.5
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Ethanol (64-17-5)	

NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Aspiration hazard

: Not classified

Hydrogen Peroxide (7722-84-1)	
LD50 oral rat	602.0mg/kg
LD50 dermal rat	2000 mg/kg
LC50 inhalation rat (mg/l)	11 mg/l

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Corrosive to skin. Cause severe burns pH: 7 – 8.5
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	pH: 7 – 8.5 : Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Conclusive data but not sufficient for classification
STOT-single exposure	: STOT SE 3 – H 335 Respiratory system irritation
STOT-repeated exposure NOAEL 26mg/kg/day, Oral, rat	: Conclusive data but not sufficient for classification. LOAEL 0.0029mg/l. Inhalation, RAT
Aspiratory hazard	: no data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	
Not rapidly degradable	

Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l Pimephales promelas (Fat-head Minnow)
LC50 fish 2	13000 mg/l Oncorhynchus mykiss (Rainbow trout)
LC50 other aquatic organisms 1	16000 mg/l Oryzias latipes (Red killifish)
EC50 Daphnia 1	12340 mg/l Daphnia Magna
EC50 other aquatic organisms 1	> 100 mg/l Leuciscus idus (Golden orfe)
EC50 72h algae (1)	275 mg/l Chlorella vulgaris
ErC50 (algae)	> 100 mg/l Selenastrum capricornutum (48hrs)
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna
NOEC chronic crustacea	9.6 mg/l Daphnia Magna (9 d)

Hydrogen Peroxide (7722-84-1)		
LC50 fish 1	96 hours: 16.4mg/l Pimephales promelas (Fat-head Minnow)	
EC50 Daphnia 1	48 hours: 2.4 mg/l Daphnia Magna	
ErC50	72 hours: 1.38 mg/l skeletonema costatum	
NOEC (chronic)	21 day: 0.63 mg/l Test organisms (species): Daphnia magna	

12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability Readily biodegradable.	
Biodegradation 84 % (20 d)	
Hydrogen Peroxide (772-84-1)	
Persistence and degradability Substance is inorganic	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
Ethanol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow) -0.31		
Bioaccumulative potential No bioaccumulation.		
Hydrogen Peroxide (7722-84-1)		
Partition coefficient n-octanol/water (Log Pow) -1.57		

12.4. Mobility in soil Ethanol (64-17-5) Ecology - soil Product evaporates when in contact with the air. Soluble in water. May contaminate water supplies. Hydrogen Peroxide (7722-84-1) Ecology - soil Henry's law constant: 0.001 Pa m3/mol @20° C Surface tension: 80.4 mN/m @20°C

12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance is not classified as PBT or vPvB according to current EU criteria.
Hydrogen Peroxide (7722-84-1)	This substance is not classified as PBT or vPvB according to current EU criteria

12.6. Other adverse effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

Avoid release to the environment.
Recycle following cleaning. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Flammable vapours may accumulate in the container.

Must follow special treatment according to local regulation.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number			I	
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	ig name			
FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol)	Flammable liquid, n.o.s. (CONTAINS : Ethanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol)
Transport document desc	ription		1	
UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol), 3, II	UN 1993 Flammable liquid, n.o.s. (CONTAINS : Ethanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : Ethanol), 3,
14.3. Transport hazard	class(es)		I	
3	3	3	3	3
14.4. Packing group			1	
II	II	II	II	II
14.5. Environmental ha	zards		1	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640D
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions	: TP1, TP8, TP28
(ADR)	
Tank code (ADR)	: LGBF

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	ite amerianent regulate
Vehicle for tank carriage	: FL
Transport category (ADR)	:2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33
	1993
	1993
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
Transport by sea	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: L2 : Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601, 640C
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640C
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP1, TP8, TP28
(RID)	, , .,0
Tank codes for RID tanks (RID)	: L1.5BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33
· · /	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

•		• · · · ·
Reference code	Applicable on	Entry title or description
3(a)	Helping Hand Sanitizer ; Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Helping Hand Sanitizer ; Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	Helping Hand Sanitizer ; Ethanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG) Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1) Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) Netherlands SZW-lijst van kankerverwekkende stoffen : Ethanol is listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting : Ethanol is listed giftige stoffen - Borstvoeding NIET-limitatieve lijst van voor de voortplanting : Ethanol is listed giftige stoffen - Vruchtbaarheid NIET-limitatieve lijst van voor de voortplanting : Ethanol is listed giftige stoffen - Ontwikkeling

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Classification according to Regulation (EC) No. 1272/2008 [CLP]:		
Flam. Liq. 2	H225	
Eye Irrit. 2	H319	

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.